KSDP/PS/F-EPRO/Various Foils-05/2023-24/166

27.12.2023

Notice Inviting e-Tender

The Managing Director, Kerala State Drugs & Pharmaceuticals Ltd, Kalavoor – PO, Alappuzha, Kerala 688 522 invites online bids in **two** cover system for the **Supply of various Blister Aluminium Foils(KMSCL Supply)-2550 Kg(total)** from Suppliers / Organizations who have successfully completed similar works / supplies as given elsewhere in the condition of contract.

1	Name of work	1.Amoxycillin Capsules I.P-500 Mg(Lidding Foil)KMSCL Supply)-500 Kg 2.Blister aluminium Foli 156mm Amoxycillin Capsules I.P-500 mg(KMSCL supply)(KMSCL Supply)- 500 KG 3.Blister Aluminium Foils 192 mm Voglibose Tab IP-0.2 Mg(KMSCL Supply)-100 Kg 4.Blister Aluminium Foil 148 mm Telmisartan Tab IP-40 Mg(KMSCL Supply)-500 Kg 5.Blister Aluminium Foil148 Atorvastatin Tab IP-20 mg(KMSCL Supply)-250 Kg 6.Blister Aluminium Foil 172 mm Metformin Hcl SR Tab IP-1 Gm-(KMSCL Supply)500 kg 7.Blister Aluminium Foil 148 mm Hydrochlorothiazide Tab IP-25 mg(KMSCL Supply)-200 Kg
2	Earnest Money Deposit (EMD)	₹10385/-(by online; refundable)
3	Tender Submission Fee	₹ 1888/-(by online; non-refundable)
4	Period of completion	30days
5	Classification of Bidder	From reputed suppliers/organisations with at least 3 years consistent standing in the field.
6	Tender documents	Can be downloaded from the site www.etenders.kerala.gov.in.
7	Last date and time of Receipt of Tender/ Bids	08.01.2024,10.00am
8	Date and Time of Opening of Tender (Technical Bid). Tender documents and tender schedule may be downloaded from the web site www.etenders.kerala.gov.in.	09.01.2024,10.00am

NOTE: The Tenderer reserves the right to apportion the tendered quantity among bidders participated

The bid submission fee shall be remitted online during the time of bid submission.

Those bidders possessing valid "**Udyog Aadhar**" can avail EMD & Tender Cost exception by uploading relevant document.

All bid/tender documents are to be submitted online only and in the designated cover(s)/envelope(s) on the e-Tenders website. Technical bid and financial bid shall be

submitted in online covers. Tenders/ bids will be accepted only through online mode on the website and no manual submission of the same will be entertained. Late tenders will not be accepted. The scanned copies of registration certificate and EMD exemption certificate (if any) and other documents as specified in the general condition shall be submitted online. More details on Tender documents/bid submission fee are mentioned in the Tender Document. The technical bids/Financial bids shall be opened online on specified date and time. If the tender opening date happens to be on a holiday or nonworking day due to any other valid reason, the tender opening process will be done on the next working day at same time and place. Tenders/ bids received online without the fee will not be considered and shall be summarily rejected.

Further details on e-tender process can be had from the NIC, Thiruvananthapuram or Office of the Managing Director, KSDP Ltd, Kalavoor, Alappuzha during working hours. The KSDP Ltd will not be responsible for any error like missing of schedule data while downloading by the Bidder.

Sd/-

Managing Director



KALAVOOR PO, ALAPPUZHA, KERALA-688522

PACKING SPECIFICATION

Name of the I	Material: SPECIFICATIO TELMISART	ON FOR BLISTER AL	UMINIUM FOIL 148 MM MG(KMSCL SUPPLY)
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/FOIL/SPEC02/49
Effective date:	10/04/2023	Revision No:	00

Aluminium foils suitably printed as per approved artworks, having the following specification.

- Thickness 0.025mm
- Width:148 mm
- Foil colour: 3 colour printing
- Core inner diameter: 74 76 mm
- Paper made core: Resistant to shocks while transportation and handling.
- Diameter of roll: Minimum 25 cm and maximum 27 cm
- With printing in accordance with our artworks.

Prepared by Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
Date: 03 04 23 1	Date: 0.3 04 23	+2	Date: 03 0 4 03	Sprif	UNCONTROLLED COPY



KALAVOOR PO, ALAPPUZHA, KERALA-688522

PACKING SPECIFICATION

Name of the Material: SPECIFICATION FOR BLISTER ALUMINIUM FOIL 172 MM

METFORMIN HYDROCHLORIDE SUSTAINED RELEASE TABLETS I.P. 1GM

(KMSCL SUPPLY)

SOP No: KSDP/SOP/SPEC02 Spec. No: KSDP/FOIL/SPEC02/52

Effective date: 11 05 2023 Revision No: 00

Aluminium foils suitably printed as per approved artworks, having the following specification.

- Thickness 0.025mm
- Width:172 mm
- Foil colour: 3 colour printing
- Core inner diameter: 74 76 mm
- Paper made core: Resistant to shocks while transportation and handling . •
- Diameter of roll: Minimum 25 cm and maximum 27 cm
- With printing in accordance with our artworks.

Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
Date: 09 08 23	Date: 09/05/43	Date: 10 05 23	Date: 10 or 13	Date: 11 05 23	UNCONTROLLED COPY



KALAVOOR PO, ALAPPUZHA, KERALA-688522

PACKING SPECIFICATION

Name of the I	Material: SPECIFICATIO	ON FOR BLISTER AL	UMINIUM FOIL 192 MM	
	VOGLIBOSE	TABLET IP 0.2 MG	(KMSCL SUPPLY)	
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/FOIL/SPEC02/32	
Effective date:	27/2/23	Revision No:	00	

Aluminium foils suitably printed as per approved artworks, having the following specification.

- Thickness 0.025mm
- Width:192 mm
- Foil colour: 3 colour printing
- Core inner diameter: 74 76 mm
- Paper made core: Resistant to shocks while transportation and handling.
- Diameter of roll: Minimum 25 cm and maximum 27 cm
- With printing in accordance with our artworks.
- *Shade cards to be provided for approval before sending full consignment.

Prepared By	Checked By	Reviewed By	Approved By	Authorised By	
Officer QA	Production Officer	Production Head	QC Head	QA Head	
du	13	40		Chk:	ASTER COPY UNCONTROLLED COP
Date: 23 02 23	Date: 22/0/6	Date: 24/02/23	Date: 24 02 23	Date: 2 7 2 7 3	



KALAVOOR PO, ALAPPUZHA, KERALA-688522

Name of th	ne Material: SPECIFI	CATION FOR AMO	OXYCILLIN CAPSULES I.P. 500MG
	KSDP/SOP/SPEC02	CIDDING FUIL) KIV	ISCL/AP
Effective date:		Spec. No:	KSDP/FOIL/SPEC02/ALU-PVC/06A (BQS)
Effective date.	1.01/06/2023	Revision No:	00 TOTAL TYC/OOK (BQS)

Lidding Foil Specification

- 1GSM PROTECTIVE LACQUER/25μ.ALU,HARD/7GSM HSL
- Width- 221mm
- Sample artwork attached
- 3 colour printing

Note:1) Diameter of inner core: minimum 7.4cm and maximum 7.6cm Diameter of roll: minimum 27cm and maximum 29cm

Prepared by Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
Date: 25/05/23	Date: 01 D6 23	\$	Artin	Chr.	UNCONTROLLED COPY



KERALA STATE DRUGS AND PHARMACEUTICALS LTD. KALAVOOR PO, ALAPPUZHA, KERALA-688522

PACKING SPECIFICATION

	ATORVASTATIO	ON FOR BLISTER ALU	MINIUM FOIL 148 MM
OP No:	KSDP/SOP/SPECO2	TABLE IS IP ZU N	MINIUM FOIL 148 MM IG (KMSCL SUPPLY)
ffective date:	08/03/2023	- DP00. IVO.	KSDP/FOIL/SPEC02/41
***	1 0810.512025	· Revision No:	00

Aluminium foils suitably printed as per approved artworks, having the following specification.

• Thickness: 0.025mm.

• Width: 148mm.

• Foil colour: 3 colour printing.

• Core inner diameter: 74 - 76 mm.

• Paper made core: Resistant to shocks while transportation and handling.

• Diameter of roll: Minimum 25 cm and maximum 27 cm.

With printing in accordance with our artworks.

Prepared By	Checked By Production	Reviewed By	Approved By	Authorised By	
Officer QA	Officer	Production Head	QC Head	QA Head	
	(1)				MASTER COF
en		B	- Ant	(R	INCOM
ite: 03 03 23	Date: 2/3/23		-0	Mirky	INCONTROLLED CO
, 1 - 1 - 1 - 1	3/2/	Date: 07/03/23	Date 05 03	Date: 08/03/23	



KALAVOOR PO, ALAPPUZHA, KERALA-688522

PACKING SPECIFICATION

	Mate	rial:	SPECIFICATIO AMOXYCILI	ON FOR BLISTER AL LIN CAPSULES I.P. 5	UMINIUM FOIL 156 MM 500 MG (KMSCL SUPPLY)(ELMACH
	KSDP/SOP/SPEC02		OP/SPEC02	Spec. No:	KSDP/FOIL/SPEC02/21
Effective date:	21	1021	2023	Revision No:	01

Aluminium foil has sufficient print repeats. This foil is meant for blister packing in machines. Non toxic, well thermo formable, uniform surface finish and without any pinholes or bubbles or apparent strains.

- Thickness 0.025mm
- Width:156 mm
- Foil colour: 3 colour printing
- Core inner diameter: 74 76 mm
- Paper made core: Resistant to shocks while transportation and handling.
- Diameter of roll: Minimum 25 cm and maximum 27 cm
- With printing in accordance with our artworks.

Prepared By	 Checked By 	Reviewed By	Approved By	Authorised By	
Officer QA	• Production Officer	Production Head	QC Head	QA Head	MASTER COPY
Date: 08 02 23	Date: 09 02 23	Date: 09 02 23	Date: lo od db	Date: 21/02/23	UNCONTROLLED COPY



KALAVOOR PO, ALAPPUZHA, KERALA-688522

PACKING SPECIFICATION

Name of the Material: SPECIFICATION FOR BLISTER ALUMINIUM FOIL 148 MM
HYDROCHLOROTHIAZIDE TABLETS I.P. 25 MG (KMSCL SUPPLY)

SOP No: KSDP/SOP/SPEC02 Spec. No: KSDP/FOIL/SPEC02/56

Effective date: 01 1061 2023 Revision No: 00

Aluminium foils suitably printed as per approved artworks, having the following specification.

• Thickness: 0.025mm.

• Width: 148mm.

• Foil colour: 3 colour printing.


• Core inner diameter: 74 - 76 mm.


• Paper made core: Resistant to shocks while transportation and handling.

• Diameter of roll: Minimum 25 cm and maximum 27 cm.

With printing in accordance with our artworks.

Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER ĈÔ₽¥
Date: 31 05 23	Date: 01/06/23	Date: 61 (06/23	Date: 01 06 43	Date: 01 106/23	UNCONTROLLED COPY







PANTONE: 376C









52 mm 52 mm 52 mm 5 mm

9र AMOXYCILLIN TRIHYDRATE CAPSULES I.P. 500mg. अमोक्सिसिलिन ट्रैहैट्रेट क्याप्सूल्स ऐ.पि. 500mg.

Each capsule contains: Amoxycillin Trihydrate I.P. equivalent to Amoxycillin 500mg.

Storage: Store protected from light and moisture. Dosage: As directed by the Physician.

Manufactured in India by **Kerala State Drugs and Pharmaceuticals Ltd.**MSP No. VII/623, Kalavoor P.O., Alappuzha, Kerala-688 522.

Manufactured in India by **Kerala State Drugs and Pharmaceuticals Ltd.** MSP No. VIII623, Kalavoor P.O., Alappuzha, Kerala-688 522.



Storage:
Store protected from light and moisture.
Dosage:
As directed by the Physician.

Each capsule contains: Amoxycillin Trihydrate I.P. equivalent to Amoxycillin 500mg.

AMOXYCILLIN TRIHYDRATE CAPSULES I.P. 500mg. अम्मीनिसीसीलन ट्रेड्ड्र