

Kerala State Drugs and Pharmaceuticals Ltd (A Govt. of Kerala Enterprise) KALAVOOR, ALAPPUZHA

Phone :0477-2258184 (Extn:207) ; Email :ksdprmqtn@gmail.com Web :ksdp.co.in

KSDP/PS/EQ/2023-24/20000130/T-91

30-1-2024

Notice Inviting Email quotation for the supply of Colloidal Silicon Dioxide IP -100 Kg

Quotations are invited for the supply of undermentioned goods/ services as per the attached specifications on FOR destination basis at our factory site at Kalavoor, Alapuzha, Kerala state

SI No.	ITEM CODE & DESCRIPTION	UNIT	QUANTITY	EMD	TENDER FEES
1	10100114	Kilogram	100.000	◆ Not Applicable	◆ Not Applicable
	Colloidal Silicon Dioxide IP				

Quotations should be submitted as per the Proforma given below on your letter head.

SI	Name of	Make	Rate per unit	GST %	Offer	Remarks, if
No.	item		(including		validity	any
			freight if any)			

Due Date/Time : 1-Feb-24 / 11.00AM

Opening Date/Time: 1-Feb-24 / 12.00PM

Note: Please provide the COA along with quotation.

Offer validity*: Minimum 7 days offer validity from the date of closure of bid submission. Quotation received with

offer validity less than 7 days from the date of closure of bid submission will be entirely rejected. Please send your Lowest offers of the item to our e-mail ksdptender@gmail.com before 11.00 AM, 01/02/2024.

The Quotation should be submitted through a password protected excel sheet. Please share your password to our email ksdptender@gmail.com@12.00 PM, 01.02.2024.

TERMS & CONDITIONS

1.Payment terms :- 30 days after the receipt of material with documents and QC approval.

2.Mode of payment:- E-PAYMENT

3.Delivery Period:- Within 15 days from the award of Purchase Order

HOD - Purchase



KERALA STATE DRUGS AND PHARMACEUTICALS LTD, KALAVOOR PO, ALAPPUZHA, KERALA-688522

Raw Material Specification

SOP No:	Material: Colloidal Sili	con Dioxide I.P.	
CCC it.	KSDP/SOP/SPEC01	Spec. No:	KSDP/R/SPEC01/61
Effective date:	01/12/2022	Revision No:	02

Sl.No.	TESTS	SPECIFICATION		
1	Description	A light, fine, white, amorphous powder. It has a particle size of about 15 nm.		
2	Identification	About 20mg gives the reaction of silicates		
3	pH	3.5-5.5, determined in a suspension of 1.0g in 30mL		
4	Arsenic	of carbon dioxide-free water Not more than 8 ppm		
5	Heavy metals	Not more than 25 ppm		
6	Chlorides	Not more than 250 ppm		
7	Loss on ignition	Not more than 5.0%, determined on 0.2g by igniting a 900° in a platinum crucible for 2 hours		
8	Assay	Not less than 99% and not more than 100.5%, calculated on the ignite basis.		

The product complies to I.P. 2022 with respect to above tests.

Prepared by	Checked by	Reviewed By	Approved By	T - 1
Officer QA	QC Head	Production Head	OA II1	MASTER COPY
01/12/2022	01/12/2022	01/12/2022	01/12/2022	UNCONTROLLED COP