

factory & office kalavoor - 688 522 alappuzha, india	0477-2258184 0477-2258828	
Email: ksdpitd@gmail.com Website: www.ksdp.co.in	0477 - 2258162	

KSDP/PS/F-EPRO/Foils-06/2023-24/206

05.02.2024

Notice Inviting e-Tender

The Managing Director, Kerala State Drugs & Pharmaceuticals Ltd, Kalavoor – PO, Alappuzha, Kerala 688 522 invites online bids in **two** cover system for the **Supply of various Blister Aluminium Foils(KMSCL Supply)**from Suppliers / Organizations who have successfully completed similar works / supplies as given elsewhere in the condition of contract.

1	Name of work	Supply of Various Blister Aluminium Foils- 5650 Kg (Total) 1.Amoxycillin Cap IP-500 mg(Lidding Foil) KMSCL/AP-3000 KG 2.Blister Aluminium Foil 192 mmNifidipine PR Tab IP-10 Mg-200 kg 3.Blister Aluminium Foil 200 mm Levetiracetam Tab IP-500 mg(KMSCL Supply)-200 Kg 4.Blister Aluminium Foil 148 mm Clopidogrel Tab IP-75 mg(KMSCL Supply))-500 Kg 5.Blister Aluminium Foil 192 mm Phenobarbitone Tab IP-30 Mg-(KMsCL Supply)-100 Kg 6.Blister Aluminium Foil 148 mm Diclofenac Tab IP-50 mg(KMSCL Supply)-200 Kg 7.Blister Aluminium Foil 148 mm Diclofenac Tab IP-50 mg(KMSCL Supply)-200 Kg 7.Blister Aluminium Foil 170 mm Theophylline& Etophylline Tab (KMSCL Supply)-1000 Kg 8.Blister Aluminium Foil 170 mm Aceclofenac Tab IP-100 Mg(KMSCL supply)-250 Kg 9.Blister Aluminium Foil 200 mmMefenamic Acid Tab B.P-500 Mg(KMSCL Supply) -100 kg
2	Earnest Money Deposit (EMD)	₹23530/- (by online; refundable)
3	Tender Submission Fee	₹ 4248/- (by online; non-refundable)
4	Period of completion	30days
5	Classification of Bidder	From reputed suppliers/organisations with at least 3 years consistent standing in the field.
6	Tender documents	Can be downloaded from the site www.etenders.kerala.gov.in.
7	Last date and time of Receipt of Tender/ Bids	15.02.2024,10.00am
8	Date and Time of Opening of Tender (Technical Bid). Tender documents and tender schedule may be downloaded from the web site www.etenders.kerala.gov.in.	<mark>16.02.2024,10.00am</mark>

NOTE: The Tenderer reserves the right to apportion the tendered quantity among bidders participated

The bid submission fee shall be remitted online during the time of bid submission.

Those bidders possessing valid "**Udyog Aadhar**" can avail EMD & Tender Cost exception by uploading relevant document.

All bid/tender documents are to be submitted online only and in the designated cover(s)/envelope(s) on the e-Tenders website. Technical bid and financial bid shall be submitted in online covers. Tenders/ bids will be accepted only through online mode on the website and no manual submission of the same will be entertained. Late tenders will not be accepted. The scanned copies of registration certificate and EMD exemption certificate (if any) and other documents as specified in the general condition shall be submitted online. More details on Tender documents/bid submission fee are mentioned in the Tender Document. The technical bids/Financial bids shall be opened online on specified date and time. If the tender opening date happens to be on a holiday or nonworking day due to any other valid reason, the tender opening process will be done on the next working day at same time and place. Tenders/ bids received online without the fee will not be considered and shall be summarily rejected.

Further details on e-tender process can be had from the NIC, Thiruvananthapuram or Office of the Managing Director, KSDP Ltd, Kalavoor, Alappuzha during working hours. The KSDP Ltd will not be responsible for any error like missing of schedule data while downloading by the Bidder.

Sd/-

Managing Director



5m	m 56mm	I	48mm	1	56mm	5mm
23mm	THEOPHYLLINE & ETOPH Each unccated tablet contains Etophylline I.P. anhydrous equivalent to Theophylline I.P.(hydrate) 23mg. Excipients q.s. Storage: Storage:	YLLINE TABLETS Dosage: As directed by the Physician. Mrg. Lic. No. : 9/25/74 Manufactured in India by: Kerala State Drugs and Pharmaceuticals Ltd. Kalavoor P.O., Alappuzha, Kerala-688 252.		LEIVE TABLETS Abardese Mg. Lic. No. : 9/26/74 Mg. Lic. No. : 9/26/74 Manuscurud in mala by. Mgairoof Co., Alappuzha, Kealaorof Co., Alappuzha, Walaya Co., Alappuzha, Walaya Co., Alappuzha, Walaya Co., Alappuzha, Kealao Co., Alappuzha, Kealao Co., Alappuzha, Mgairo Co., Alapp	THEOPHYLLINE & ETOPHY action uncosted tablet contains freephylline LP freephylline LP freephylline LP scipents q.s. Store protected from light and molature. (eep the medicine out of reach of children.	5 5 1 1 2 2 2 1
	THEOPHYLLINE & ETOPH Each uncoated tablet contains Etophylline I.P. Theophylline I.P. Anhydrous equivalent to Theophylline I.P.(tydrate) 23mg. Excipients q.s. Storage: Storage protected from light and moisture. Keep the medicine out of reach of children.	YLLINE TABLETS Dosage: As directed by the Physician. Mfg. Lic. No. : 9/25/74 Mandradured in India by: Kerala State Drugs and Pharmaceuticals Ltd. Kalavoc P.O., Alapuzha, Kerala-688 522.		Dosage: May Lic. No. : 9/25/74 May Lic. No. : 9/25/74 Manufactured in India by Manufactured in India Manufactured in Ind	THEOPHYLLINE & ETOPHY and uncoded table contains fracphylline IP, (hydrate) 23ng. fracphylline IP, hydrous equation out of reach of children. Scipping g. Scipping g. Scipping g. Scipping and scipping g. Scipping g. S	5 5 1 1 2 2 1

PANTONE: 235C









PANNTONE 286C





PANTONE : 1405C





Name of t	he Material: SPECIFICA	TION FOR BLISTER	R ALUMINIUM FOIL 148 MM IG (KMSCL SUPPLY)
SOP No: Effective date:		Spec. No: Revision No:	KSDP/FOIL/SPEC02/54

- Thickness: 0.025mm.
- Width: 148mm.
- Foil colour: 3 colour printing.
- Core inner diameter: 74 76 mm.
- Paper made core: Resistant to shocks while transportation and handling.
- Diameter of roll: Minimum 25 cm and maximum 27 cm.
- With printing in accordance with our artworks.

Prepared by Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
Date: 20 0.5 2.3	Date: 23/05 23	Date: 28/05/23	Dates 4 of 23	Silah-12 Date: 250523	UNCONTROLLED COPY



KERALA STATE DRUGS AND PHARMACEUTICALS LTD.

KALAVOOR PO, ALAPPUZHA, KERALA-688522

PACKING SPECIFICATION

Name of the Material: SPECIFICATION FOR BLISTER ALUMINIUM FOIL 192 MM					
* PHENOBARBITONE TABLETS I.P. 30MG (KMSCL SUPPLY)					
SOP No: KSDP/SOP/SPEC02 Spec. No: KSDP/FOIL/SPEC02/57					
Effective date:	14 06 2023	Revision No:	01		

Aluminium foils suitably printed as per approved artworks, having the following specification.

- Thickness 0.025mm
- Width:192 mm
- Foil colour : 3 colour printing
- Core inner diameter : 74 76 mm
- Paper made core: Resistant to shocks while transportation and handling .
- Diameter of roll : Minimum 25 cm and maximum 27 cm
- With printing in accordance with our artworks.

Prepared By	Checked By	Reviewed By	Approved By	Authorised By	
Officer QA	 Production Officer 	Production Head	QC Head	QA Head	MASTER COPI UNCONTROLLED COPY
Date: 14 06 23	Date: 14 06 23	Date: 14-06-23	Date; 1, of da	Date: 14/06/23	



KERALA STATE DRUGS AND PHARMACEUTICALS LTD.

KALAVOOR PO, ALAPPUZHA, KERALA-688522

PACKING SPECIFICATION

Name of the Ma	aterial: SPECIFICATION FO	R BLISTER ALUM	IINIUM FOIL 170 MM E TABLETS (KMSCL SUPPLY)
SOP No:	RODITOUTOFECUZ.	Spec. No:	KSDP/FOIL/SPEC02/58
Effective date:	07072023	Revision No:	01

Aluminium foils suitably printed as per approved artworks, having the following specification.

- Thickness: 0.025mm.
- Width:170 mm.
- Foil colour : 2 colour printing
- Core inner diameter : 74 76 mm.
- Paper made core: Resistant to shocks while transportation and handling.
- Diameter of roll : Minimum 25 cm and maximum 27 cm.
- With printing in accordance with our artworks.

Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
Date: 05 07 23	Date: 06071.22	Date: OG OT 23	J.L.	Date: 070723	UNCONTROLLED COPY



Name of the NG is it		
Name of the Material: SPECIFICATION I CLOPIDOGREL TABLET	OD DY YOMA	
OI ODID CONTRATION I	OR BLISTER ALIM	MINIUM FOIL 149 MOL
CLOPIDOGREL TABLET	OID MALES	THUR FULL 148 MIM
	5 I.P. 75MG (KMS)	CL SLIPDI VI
SOP No: KSDP/SOP/SPEC02		
Effective date: 03/06/2002	Spec. No:	KSDP/FOIL/SPEC02/55
Effective date: 03 06 2023	Revision No:	100 DELISTECUZISS
	TROVISION NO.	00

- Thickness :0.025mm
- Width:148 mm
- Foil colour : 3 colour printing
- Core inner diameter : 74 76 mm
- Paper made core: Resistant to shocks while transportation and handling.
- Diameter of roll: Minimum 25 cm and maximum 27 cm.
- With printing in accordance with our artworks.

Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
dri		50	A.L.		UNCONTROLLED COPY
Date: 02 06 23	Date:03/06/23	Date: 03/06/23	Dates 3/6 1 dz	Date: 0 3 06 23	



KERALA STATE DRUGS AND PHARMACEUTICALS LTD.

KALAVOOR PO, ALAPPUZHA, KERALA-688522

	ION FOR AMC ING FOIL) KM	DXYCILLIN CAPSULES I.P. 500MG
SOP No:KSDP/SOP/SPEC02Effective date:.01062023	Spec. No: Revision No:	KSDP/FOIL/SPEC02/ALU-PVC/06A (BQS)

Lidding Foil Specification

- 1GSM PROTECTIVE LACQUER/25µ.ALU,HARD/7GSM HSL
- Width- 221mm
- Sample artwork attached
- 3 colour printing

Note:1) Diameter of inner core: minimum 7.4cm and maximum 7.6cm Diameter of roll: minimum 27cm and maximum 29cm 2) Shade cards to be provided for approval before sending full consignment,

Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
Ohi Date: 25 05 23	Date: 01 D6 23	Date: 01 06 23	Dates 106 a 3	Date: Ollphida	UNCONTROLLED COPY

	KERALA STATE DRU	JGS AND PHARMA	ACEUTICALS	LTD.
(SE)		, ALAPPUZHA, KI	· Meren	and the second second
P				
	PACKING S	SPECIFICATION		1007

Name of the I	Material: SPECIFICATIO	N FOR BLISTER AL AC TABLETS IP 100	UMINIUM FOIL 170 MM MG (KMSCL SUPPLY)
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/FOIL/SPEC02/37
Effective date:	01/03/2023	Revision No:	00

- Thickness :0.025mm
- Width:170 mm
- Foil colour : 3 colour printing
- Core inner diameter : 74 76 mm
- Paper made core: Resistant to shocks while transportation and handling.
- Diameter of roll : Minimum 25 cm and maximum 27 cm.
- With printing in accordance with our artworks.

Prepared By	Checked By	Reviewed By	Approved By	Authorised By	MASTER COPY
Officer QA	Production Officer	Production Head	QC Head	QA Head	UNCONTROLLED COPY
Date: 2502 23	Date: 25/2/23	Date: 20/02/23	Date: 28 02 33	JI-V-1- Date:01/02/23	P

	ľ r
	KEPALA OTLANT
KS	KERALA STATE DRUGS AND PHARMACEUTICALS LTD.
(\mathbf{O})	KAL ANG G
	KALAVOOR PO, ALAPPUZHA, KERALA-688522
	,
	PACKING SPECIFICATION

	Name of the Material: SPECIFICATION FOR BLISTER ALUMINIUM FOI MEFENAMIC ACID TABLETS B.P.500 MC (KMSC)	
H	KSUP/SOD/SDEGGO	L 200 MM
L	Effective date: 29 03 2023 Revision No: 01	/SPEC02/48

- Thickness: 0.025mm. 0
- Width: 200mm.
- Foil colour : 3 colour printing
- Core inner diameter: 74 76 mm
- Paper made core: Resistant to shocks while transportation and
- Diameter of roll: Minimum 25 cm and maximum 27 cm
- With printing in accordance with our artworks.

*	Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
	Date: 27,03 23	Date: 28 05 23	Date: 29/03/23	Date: 28 03 03	Jake: 29 03/23	UNCONTROLLED COPY



Name of the Ma NIFEDIPIN	aterial: SPECIFICATION I E PROLONGED RELI	FOR BLISTER ALUN EASE TABLETS I	IINIUM FOIL 192 MM P. 10 MG (KMSCL SUPPLY)
	KSDP/SOP/SPEC02	Spec. No:	KSDP/FOIL/SPEC02/45
Effective date:	10/03/23	Revision No:	00

- Thickness 0.025mm
- Width:192 mm
- Foil colour : 3 colour printing
- Core inner diameter : 74 76 mm
- Paper made core: Resistant to shocks while transportation and handling.
- Diameter of roll : Minimum 25 cm and maximum 27 cm
- With printing in accordance with our artworks.

Officer QA	Checked By Production Officer	Reviewed By Production Head	Approved By QC Head	Authorised By QA Head	MASTER COPY
Date: 08 03 23	Date: 09 03 23	Date: 09 02 23	Date: 10/03/012	Jak + P Date: 10/03/03	UNCONTROLLED TO TOPY

(K)S)	• • KERALA STATE DRUGS AND PHARMACEUTICALS LTD.
(75)	KALAVOOR PO, ALAPPUZHA, KERALA-688522
	PACKING SPECIFICATION

Name of the	Material: SPECIFICATIC	ON FOR BLISTER AL	UMINIUM FOIL 200 MM
SOP No:	I NODI / SUF/SFEUUZ	Spec. No:	MG (KMSCL SUPPLY) KSDP/FOIL/SPEC02/33
Effective date:	27223	Revision No:	00

- Thickness :0.025mm
- Width:200mm
- Foil colour : 3 colour printing
- Core inner diameter : 74 76 mm
- Paper made core : Resistant to shocks while transportation and handling .
- Diameter of roll : Minimum 25 cm and maximum 27 cm
- With printing in accordance with our artworks.

Prepared By	Checked By	Reviewed By	Approved By		×
Officer QA	Production Officer	Production Head	QC Head	Authorised By QA Head	
- dui	Do	60	-+1-	CC	MASTER COPY
Date: 23 02 23	Date: 2327	Date: 24 02 23	Date: «4 Ox 43	Date: 27/2/23	I UNCONTROLLED COPY