

Kerala State Drugs and Pharmaceuticals Ltd (A Govt. of Kerala Enterprise) KALAVOOR, ALAPPUZHA

Phone:0477-2258184 (Extn:207); Email:ksdprmqtn@gmail.com Web:ksdp.co.in

KSDP/PS/EQ/2023-24/20000133/T-89

7-2-2024

Notice Re inviting Email Quotation for the Supply of Duplex carton 2040-5432 Nos

Quotations are invited for the supply of undermentioned goods/ services as per the attached specifications on FOR destination basis at our factory site at Kalavoor, Alapuzha, Kerala state

SI No.	ITEM CODE & DESCRIPTION	UNIT	QUANTITY	EMD	TENDER FEES
1	40400069	Numbers	5,432 NOS	Not Applicable	Not Applicable
	Duplex Carton 2040				

Quotations should be submitted as per the Proforma given below on your letter head.

SI	Name of	Make	Rate per unit	GST %	Offer	Remarks, if
No.	item		(including		validity	any
			freight, if any)		_	

Offer validity*: Minimum 7 days offer validity from the date of closure of bid submission. Quotation received

with offer validity less than 7 days from the date of closure of bid submission will be entirely rejected.

Please send your Lowest offers of the item to our e-mail ksdptender@gmail.com before 12.00 PM, 09/2 /2024.

The Quotation should be submitted through a password protected excel sheet. Please share your password to ur email ksdptender@gmail. com @01.00 PM, 09.02.2024

TERMS & CONDITIONS


1.Payment terms :- 30 days after the receipt of the material along with documents, subject to

QC approval.

2.Mode of payment:- E-Payment

3.Delivery Period:- Supply should be effected within 15 days on award of PO

HOD - Purchase





KERALA STATE DRUGS AND PHARMACEUTICALS LTD.

KALAVOOR PO, ALAPPUZHA, KERALA-688522

Name of the Material: SPECIFICATION FOR DUPLEX CARTON No 2040

KSDP/SOP/SPEC02	Spec. No:	KSDP/ SPEC02/DC/011
14/11/22		00

DIMENSIONS: L X B X H

180X 180 X 90 mm (Outer dimension).

3 Ply corrugated carton of each ply of 120 GSM / Virgin Kraft paper.

Total GSM of carton - Not less than 400 GSM.

Bursting strength of carton – 4Kg/cm² (minimum).

Flute - Corrugated box should be of narrow flute (N Flute).

Joint - Every box should be preferably single joints and not more than two joints. Flap joint will be glue joint (fungal free).

Stitching - Every box to be stitched using pairs of stainless steel pins (internally stapled) with an interval of 2 inches between each pair.

Flap - Flap should be uniformly meet but should not overlap each other. Flap when turned 45° should not crack.

Number of colors - 1 (Red)

Printing - In accordance with our artwork.

Carton number (Carton No: 2040) to be printed on specified area.

Sample to be provided for approval.

Prepared by	; Checked by	Reviewed By	Approved By	Authorized By
Officer QA	Officer Production	Production Head	QC Head	QA Head
du	Da 22	\$	1-	(())
12/11/22	12/11	ારામ[સ્ર	helilad.	14/11/22 -