atappuzho, india Email: ksdpltd@gmail.com | tax : 0477 - 3258163

KSDP/PS/F-EPRO/PVC films -02/2023-24/221

24.02.2024

#### **Notice Re- Inviting e-Tender**

The Managing Director, Kerala State Drugs & Pharmaceuticals Ltd, Kalavoor – PO, Alappuzha, Kerala 688 522 invites online bids in **two** cover system for the **Supply of Amber** Colour PVC 174 mm -2000kg, Amber Colour PVC-208 mm-2000 kg, Amber Colour PVC 200 mm-7000 Kg, Amber Colour PVC 152 mm-20000 Kg, Silver Colour PVC 200 mm-500 Kg,Clear PVC174 mm-10000 Kg,Clear PVC200 mm-5000 Kg,Clear PVC152mm-1000 Kg,Clear PVC-172mm-10000 Kg,clear pvc 176mm-1000 kg,clearpvc208mm-1000 kg,clear pvc215mm-1500 kg,clear pvc-227mm-10000 kg( Total -71000 kg) from Suppliers / Organizations who have successfully completed similar works / supplies as given elsewhere in the condition of contract.

1	Name of work	Supply of Amber Colour PVC 174 mm - 2000kg,Amber Colour PVC-208 mm-2000 kg,Amber Colour PVC 200 mm-7000 Kg,Amber Colour PVC 152 mm-20000 Kg,Silver Colour PVC200mm-500 Kg,Clear PVC174 mm-10000 Kg,Clear PVC200 mm-5000 Kg,Clear PVC152mm-1000 Kg,Clear PVC-172mm-10000 Kg,clear pvc 176mm-1000 kg,clear pvc 215mm-1500 kg,clear pvc-227mm-10000 kg (Total -71000 kg)
2	Earnest Money Deposite(EMD)	₹89710(by online; refundable)
3	Tender Submission Fee(TC)	₹15930(by online; non-refundable)
4	Period of completion	15 days
5	Classification of Bidder	From reputed suppliers/organisations with at least 3 years consistent standing in the field.
6	Tender documents	Can be downloaded from the site www.etenders.kerala.gov.in.
7	Last date and time of Receipt of Tender/ Bids	02.03.2024,10.00am
8	Date and Time of Opening of Tender (Technical Bid). Tender documents and tender schedule may be downloaded from the web site www.etenders.kerala.gov.in.	04.03.2024,10.00am

#### NOTE: The Tenderer reserves the right to apportion the tendered quantity among bidders participated

The bid submission fee shall be remitted online during the time of bid submission.

Those bidders possessing valid "Udyog Aadhar" can avail EMD & Tender Cost exception by uploading relevant document.

All bid/tender documents are to be submitted online only and in the designated cover(s)/envelope(s) on the e-Tenders website. Technical bid and financial bid shall be submitted in online covers. Tenders/ bids will be accepted only through online mode on the website and no manual submission of the same will be entertained. Late tenders will not be accepted. The scanned copies of registration certificate and EMD exemption certificate (if any) and other documents as specified in the general condition shall be submitted online. More details on Tender documents/bid submission fee are mentioned in the Tender Document. The technical bids/Financial bids shall be opened online on specified date and time. If the tender opening date happens to be on a holiday or nonworking day due to any other valid reason, the tender opening process will be done on the next working day at same time and place. Tenders/ bids received online without the fee will not be considered and shall be summarily rejected.

Further details on e-tender process can be had from the NIC, Thiruvananthapuram or Office of the Managing Director, KSDP Ltd, Kalavoor, Alappuzha during working hours. The KSDP Ltd will not be responsible for any error like missing of schedule data while downloading by the Bidder.

Sd/-

**Managing Director** 



# KERALA STATE DRUGS AND PHARMACEUTICALS LTD. KALAVOOR P.O, ALAPPUZHA, KERALA-688522

#### **PACKING SPECIFICATION**

Name of Materia	al: SPECIFICATION FOR C	LEAR PVC FILM 17	72MM
SOP No	KSDP/SOP/SPEC02	Spec No.	KSDP/PVC/SPEC02/07
Effective Date	02.03.2020	Revision No:	01
	7.		

• Thickness: 0. 25mm

• Width: 172 mm

• Core Inner Diameter: 75 mm

Paper Made Core : Resistant to shocks while transportation and handling

• Non toxic

• Well thermo formable

- Clear PVC film with uniform surface finish without any pinholes or bubbles or apparent strains
- For blister packing of tablets or capsules in automated machines.

Prepared by	Checked By	Checked By	Reviewed By	Approved By
Junior manager QA	QC Head	Officer Production	Production head	QA Head
Ban'	7	100 1 90 NO	1/3/2020	Spul. 1
Date: 2 03 2020	Date:	Date:	Date:	Date: 02/03/2020

MASTER COPY

UNCONTROLLED COPY



# KALAVOOR PO, ALAPPUZHA, KERALA-688522

(1)	Name of the Material: S	PECIFICATION	FOR CLEAR PVC 227 MM
The second secon	TODI/SUI/SUECUZ	Spec. No:	KSDP/FOIL/SPECO2/ALLEDVICE
Effective date:	01/06/2023	Revision No:	KSDP/FOIL/SPEC02/ALU-PVC/06B (BQS)

### Forming Foil Specification

• 250μ PVC

• Width- 227 mm

Note: Diameter of inner core: minimum 7.4cm and maximum 7.6cm

Diameter of roll: minimum 27cm and maximum 29cm

Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER COPY
Date: 25 05 23	Date: 01/06/23	Date: 61/06/23	Date Ol Ob ob	Date: 01/06/23	UNCONTROLLED COPY



# KERALA STATE DRUGS AND PHARMACEUTICALS LTD. KALAVOOR PO, ALAPPUZHA, KERALA-688522

Name of the Ma	aterial: SPECIFICATION 1	FOR AMBER PVC FI	LM 208 MM
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/PVC/SPEC02/16
Effective date:	11/03/2023	Revision No:	00

- Thickness 0.25mm.
- Width: 208 mm.
- Core inner diameter: 75 mm.
- Paper made core: Resistant to shocks while transportation and handling.
- · Non toxic.
- Well thermo formable.
- Amber coloured PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

	Prepared By	Checked By	Reviewed By	Approved By	Authorised By	T T
	Officer QA	Production Officer	Production Head	QC Head	QA Head	MASTER COPY
*	du		\$0	H	Clakes	UNCONTROLLED COPY
l	Date: 0 03 23	Date: 10 03 23	Date: 10 03 23	Date:// 03 23	Date: 11   12   22	



### KALAVOOR PO, ALAPPUZHA, KERALA-688522

SOP No:	aterial: SPECIFICATION I	OK AMBER PVC FI	LM 200 MM	
COT 110.	KSDP/SOP/SPEC02	Spec. No:	KSDP/PVC/SPEC02/13	
Effective date:	11/03/2022	Revision No:	00	

- Thickness 0.25mm.
- Width: 200 mm.
- Core inner diameter: 75 mm.
- Paper made core: Resistant to shocks while transportation and handling.
- Non toxic.
- Well thermo formable.
- Amber coloured PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

Officer QA	Checked By Production Officer	Reviewed By Production Head	Approved By QC Head	Authorised By QA Head	MASTER COPY
Date: 0 03 23	Date: 10 08 23	Date: 10 03 23	Date: 1/ 02/ d 2		UNCONTROLLED COPY



### KALAVOOR PO, ALAPPUZHA, KERALA-688522

### PACKING SPECIFICATION

Name of the Ma	aterial: SPECIFICATION 1	FOR AMBER PVC FI	I M 174 MM
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/PVC/SPEC02/15
Effective date:	11/03/2023	Revision No:	00

• Thickness 0.25mm.

• Width: 174 mm.

• Core inner diameter: 75 mm.

- Paper made core: Resistant to shocks while transportation and handling.
- Non toxic.
- Well thermo formable.
- Amber coloured PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

Prepared By	Checked By ,	Reviewed By	Approved By	Authorised By	
Officer QA	Production Officer	Production Head	QC Head	QA Head	MASTER COPY
du		600		(0	UNCONTROLLED COP
	X	***	5-1	Muhar	
ate: 0 03 23	Date: 10/03/23	Date: 10 03 23	Date: 1 (03 45	Date: 1 03 23	



### KALAVOOR PO, ALAPPUZHA, KERALA-688522

Name of the Ma	aterial: SPECIFICATION I	FOR AMBER PVC FI	LM 152 MM
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/PVC/SPEC02/14
Effective date:	11/03/2023	Revision No:	00

- Thickness 0.25mm.
- Width: 152 mm.
- Core inner diameter: 75 mm.
- Paper made core: Resistant to shocks while transportation and handling.
- Non toxic.
- Well thermo formable.
- Amber coloured PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

Prepared By	Checked By	Reviewed By	Approved By	Authorised By	<del>                                     </del>
Officer QA	Production . Officer	Production Head	QC Head		MASTER COPY
Date: 0 03 23	Date: 10 03 23	Date: 10 03 23	Date: [1] 03 db	Glikif	UNCONTROLLED COPY

KALAVOOR PO, ALAPPUZHA, KERALA-688522



	00	Revision No:	52/08/2019	Effective date:
	KSDP/PVC/SPEC02/02	Spec. No:	KZDb/ZOb/ZbEC05	:oN GOS
8	WM .	DE CLEAR PVC FILDIS	/laterial: <b>SPECIFICATION</b> FC	Name of the I

- Thickness 0.25mm
- Width:152 mm
- Core inner diameter: 75 mm
- Paper made core: Resistant to shocks while transportation and
- handling.

  Non toxic
- Well thermo formable
- Clear PVC film with uniform surface finish without any pinholes
- or bubbles or apparent strains.

   For blister packing of tablets and capsules in automated machines.

PJ180/ S&:9160	Date: 49/8/	Date: 31 68/19	Date: && O8 19	Pate: 22   \$118
July 1	1010	Kingle	Ji-1-10	my
QA Head	Production Head	Officer Production	QC Head	Junior Manager QA
Approved By	Reviewed By	Checked By	Checked by	Prepared by



# KALAVOOR PO, ALAPPUZHA, KERALA-688522

### PACKING SPECIFICATION

Material: SPECIFICATION F	OR CLEAR PVC FILM 20	0 MM
KSDP/SOP/SPEC02   30/04/2021	Spec. No:	KSDP/PVC/SPEC02/10
	INDITION SPECUZ	

- Thickness 0.25mm
- Width:200 mm
- Core inner diameter: 75 mm
- Paper made core: Resistant to shocks while transportation and handling.
- Non toxic
- Well thermo formable.
- Clear PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

D 11		-		•
Prepared by	Checked by	Reviewed By	Approved By	Authorizato
Junior Manager QA	Officer Production	Production II 1		Authorized By
	/ Troduction	Production Head	QC Head	QA Head
Date: 20 4 2	Date: 30 4 2	Date: 30[4 2]	Date: 30 4 21	Date: 30/04/200

UNCONTROLLED COPY
MASTER COPY



### KALAVOOR PO, ALAPPUZHA, KERALA-688522

#### **PACKING SPECIFICATION**

Name of the l	Material: SPECIFICATION F	OR CLEAR PVC FILM 174	MM
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/PVC/SPEC02/04
Effective date:	22/08/2019	Revision No:	00

- Thickness 0.25mm
- Width:174 mm
- Core inner diameter: 75 mm
- Paper made core: Resistant to shocks while transportation and handling.
- Non toxic
- Well thermo formable
- Clear PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

Prepared by	Checked by	Checked By	Reviewed By	Approved By
Junior Manager QA	QC Head	Officer Production	Production Head	QA Head
\	Sp. K. i.p	Marshel	p g	fint
Date: 2218119	Date: 22 08 19	Date: Da Balla	Date: Jala	Date: 22 (08 19

MASTER COPY

UNCONTROLLED COPY



### KALAVOOR PO, ALAPPUZHA, KERALA-688522

#### PACKING SPECIFICATION

Name of the	Material: SPECIFICAT	ION FOR CLEAR	PVC FILM 176 MM
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/PVC/SPEC02/21
Effective date:	18/05/2023	Revision No:	00

• Thickness 0.25mm

• Width:176 mm

• Core inner diameter: 75 mm

- Paper made core: Resistant to shocks while transportation and handling.
- Non toxic
- Well thermo formable.
- Clear PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

Prepared By	Checked By	Reviewed By	Approved By	Authorised By	
Officer QA	Production Officer	Production Head	QC Head	QA Head	MASTER COPY
Date:   X 05 2-3	Date: 18105 23	Date: 18 05 23	Date: 18 05 23	Date: 18/05/23	UNCONTROLLED COPY



## KALAVOOR PO, ALAPPUZHA, KERALA-688522

### PACKING SPECIFICATION

ame of the Material: SPECIFICA	TION FOR PVC FII	LM 215 MM
TYON DICONICINITY	Spec. No:	KSDP/PVC/SPEC02/17
OP No: KSDP/SOP/SPECO2  ffective date: 18-lo5/2023	Revision No:	00

• 250μ PVC/60GSM PVDC

• Width-215 mm

Note: Diameter of inner core: minimum 7.4cm and maximum 7.6cm Diameter of roll: minimum 27cm and maximum 29cm

Prepared by Officer QA	Checked by Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	MASTER CO	P*
Date: 120522	Date: 18105 123	Date:(8 los   23	Date: 8 00 23	Date: 18 05 23	UNCONTROLLE	COP



#### KALAVOOR PO, ALAPPUZHA, KERALA-688522

#### PACKING SPECIFICATION

Name of the M	Material: SPECIFICATION FO	OR CLEAR PVC FILM 208	BMM
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/PVC/SPEC02/01
Effective date:	22/08/2019	Revision No:	01

• Thickness 0.25mm

• Width: 208 mm

• Core inner diameter: 75 mm

 Paper made core: Resistant to shocks while transportation and handling.

• Non toxic

• Well thermo formable

- Clear PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

Prepared by	Checked by	Checked By	Reviewed By	Approved By
Junior Manager QA	QC Head	Officer Production	Production Head	QA Head
Date: 22 8 11 G	Date: 22/08/19	Date: 24 108119	Date: Adle of	Date: 22/08/19

MASTER COPY

TINCONTROLLED COPY



### KALAVOOR PO, ALAPPUZHA, KERALA-688522

### PACKING SPECIFICATION

Name of the	Material: SPECIFICAT	ION FOR SILVER	R PVC FILM 200 MM
		Spec. No:	KSDP/DVC/SDEGGG/10
Effective date:	18/05/2023	Revision No:	KSDP/PVC/SPEC02/19

• Thickness 0.25mm

• Width:200 mm

• Core inner diameter: 75 mm

- Paper made core: Resistant to shocks while transportation and handling.
- Non toxic
- Well thermo formable
- Silver coloured PVC film with uniform surface finish without any pinholes or bubbles or apparent strains.
- For blister packing of tablets and capsules in automated machines.

Prepared by	Checked by	Pavianali	T	***	
Officer QA	Production Officer	Reviewed by Production Head	Approved by QC Head	Authorised by QA Head	
ani	and .		4.1	Shih et	MASTER CC UNCONTROLLED COP
Date: 180523	Date: 18/05/23	Date:   8   05   23	Date:18 05 33	Date: 18/05/23	