



**Kerala State Drugs & Pharmaceuticals Ltd.**  
a government of Kerala enterprise

Factory & Office :  
Kalavoor, Alappuzha - 688 522, India  
Phone: 0477-2258184, 2258828  
Telefax : 0477-2258162  
E-mail: ksdpltd@gmail.com  
Website : www.ksdp.co.in

KSDP/PRJ/QTN/2024-25/16

13/09/2024

### QUOTATION NOTICE

Inviting quotation for False Ceiling and Rolling Shutter for Pharmacy Outlet

#### 1. SCOPE OF WORK

False Ceiling and Rolling Shutter for Pharmacy Outlet

Note:

- Work includes supply and erection of Rolling shutter, False ceiling work etc.
- Scaffolding, Ladder if any required are in the contractor's scope.

#### 2. TERMS OF PAYMENT

100% payment will be released on completion of work.

#### 3. PERIOD OF COMPLETION

All the work should be completed within 15 days from the date of issue of work order / Handing over Site.

#### 4. GENERAL CONDITIONS

- i. You should work as per the Rules & Regulations applicable to Employees of the company.
- ii. You should be responsible for the welfare and safety of the Men employed by you inside the company.
- iii. In case of dispute, jurisdiction will be Alleppey, Kerala.
- iv. All safety measures should be taken during work.
- v. All tools and machines, scaffolding and labourers required for the work is coming under the scope of contractor.
- vi. Power will be provided at one point.

- vii. Your employees should wear all safety items/equipments such as helmet, goggles, safety belts, boots etc. Company will have no liability to employees entrusted by you with respect to safety measures.
- viii. GST will be paid extra as per actual.

**IMPORTANT DATES :**

Last Date of receipt of quotation : **25-09-24 at 10:00 am.**

Sealed quotation opening date : **25-09-24 at 10:30 am.**

**Please send your sealed quotation to Managing Director, Kerala State Drugs And Pharmaceuticals Ltd, Kalavoor, Alappuzha on or before 25-09-24 at 10:00 am.**



A handwritten signature in blue ink, consisting of a stylized 'D' followed by a long horizontal stroke and a diagonal line.

Deputy Manager (Projects)

**KERALA STATE DRUGS AND PHARMACEUTICALS LTD., KALAVOOR, ALAPPUZHA**

Name of Work: False Ceiling and Rolling Shutter for Pharmacy, Outlet

Price Bid

Item no	Description	Quantity	Unit	Rate (Excl. GST)	Amount
1	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound, jointing tapes, finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with :12.5 mm thick tapered edge gypsum moisture resistant board	32	sqm		
2	Supplying and fixing rolling shutters of approved make, made of required size M.S laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate length conforming to IS: 4454-part 1 and M.S. top cover of required thickness for rolling shutters. 80 x 1.25 mm M.S laths with 1.25 mm thick top cover.	8	sqm		
<b>Grand total</b>					
Note: scaffolding, ladder if any required are in the contractor's scope					

Note: scaffolding, ladder if any required are in the contractor's scope



Dy. Manager (Project)



Contractor