

### Kerala State Drugs and Pharmaceuticals Ltd (A Govt. of Kerala Enterprise) KALAVOOR, ALAPPUZHA

Phone :0477-2258184 (Extn:207) ; Email :purchase@ksdp.in Web :http://www.ksdp.co.in

KSDP/PS/EQ/2025-26/400033/T-001

20-5-2025

# Notice re inviting Email Quotation for the supply of Hydroxypropyl methylcellulose IP- 10 KG

Quotations are invited for the supply of undermentioned goods/ services as per the attached specifications on FOR destination basis at our factory site at Kalavoor, Alapuzha, Kerala state

SI No.	ITEM CODE & DESCRIPTION	UNIT	QUANTITY	EMD	TENDER FEES
1	10300049	KG	10.000	Not Applicable	Not Applicable
	HYDROXYPROPYL				
	METHYLCELLULOSE IP				

Quotations should be submitted as per the Proforma given below on your letter head.

SI No.	Name of item	Make	Rate per unit (including	GST %	Offer validity	Remarks, if any
			freight, if any)			

Due Date/Time : 23-May-25 / 1.00 PM

Opening Date/Time: 23-May-25 / 2.00 PM

Note : Please provide COA along with the quotation.

Offer validity\*: Minimum 7 days offer validity from the date of closure of bid submission.

Quotation received with offer validity less than 7 days from the date of closure of bid submission will be entirely rejected.

Please send your lowest offers of the item to our e-mail ksdptender@gmail.com before 01.00 PM ,23.05. 2025.

The Quotation should be submitted through a password protected excel sheet.

Please share your Password to our email ksdptender@gmail.com @01.30PM, 23.05.25.

#### **TERMS & CONDITIONS**

1.Payment terms :-	30 days after the receipt of mate rial with documents and approval from QC dept.
2.Mode of payment:-	E-PAYMENT
3.Delivery Period:-	Supply should be effected within 07 days on award of PO

### **HOD - Purchase**

C.C.A.		1
Cardonar 1	Second States	1
· B	instrict	er."
	52	Ð

### KERALA STATE DRUGS AND PHARMACEUTICALS LTD, KALAVOOR PO, ALAPPUZHA, KERALA-688522

## **Raw Material Specification**

Name of the (LVP/SVP/OP	Material: HYDROXYP	ROPYL METHYL	CELLULOSE IP	
SOP No:	KSDP/SOP/SPEC01	Spec. No:	KSDP/R/SPEC01/348	
Effective date:	aladar	Revision No:	00	
	09 04 25	Item code:	10300049	

Sl.No.	TEST	SPECIFICATION
1.	Description	A white or yellowish white, fibrous or granular powder; hygroscopic after drying.
2.	Identification	
A)	By Chemical Reaction	At temperatures above 50° the solution becomes cloudy or a flocculent precipitate is formed. On cooling, the solution becomes clear or slightly opalescent.
B)	By Chemical Reaction	To meet the test
C)	By Chemical Reaction	A yellowish white, flocculent precipitate is produced which dissolves in 6 M ammonia.
D)	By Chemical Reaction	A pink colour is produced immediately which becomes violet within 100 minutes.
E)	By Chemical Reaction	After evaporation of the water a thin film is produced. $\sim$
3.	pH	5.5 to 8.0, determined in solution A.
4.	Appearance of solution	Solution A is not more opalescent than opalescence standard OS3 and not more intensely coloured than reference solution YS6.

Prepared by	Checked by	Reviewed By	Approved By	Authorized By	
QA Officer	QC Head	Dy. Manager Production	Production Head	QA Head	
Also	AL	1st -	h. 2	P.A.	MASTER COPY
03/04/25	05 04 25	07 04 25	09 04 25	09/04/25	UNCONTROLLED COPY



114

## KERALA STATE DRUGS AND PHARMACEUTICALS LTD, KALAVOOR PO, ALAPPUZHA, KERALA-688522

# **Raw Material Specification**

	e Material: HYDROXYPI	KUFIL MEIMIE.	012-
(LVP/SVP/O	PTH) KSDP/SOP/SPEC01	Spec. No:	KSDP/R/SPEC01/348
SOP No:		Revision No:	00
Effective dat	e: 090425	Item code:	10300049

5.	Apparent Viscosity	75 to 140 per cent of the stated value, determined by the following method. Weigh a quantity equivalent to 2.0 g of the dried substance and add, with constant stirring, to 50 ml of water previously heated to 90°. Allow to cool, dilute to 100.0 ml with water and continue stirring until solution is complete. Adjust the weight of the solution to 100 g and centrifuge the solution to expel any trapped air. Determine the viscosity, Method C, at 20° using a shear rate of 10 s <sup>-1</sup> .
6.	Heavy Metals	1:0 g complies with the limit test for heavy metals, Method B (20 ppm).
7.	Chlorides	Dilute 5.0 ml of solution A to 15 ml with water. The resulting solution complies with the limit test for chlorides (0.5 per cent).
8.	Sulphated ash	Not more than 3.0 per cent.
9.	Loss on drying	Not more than 10.0 per cent, determined on 0.5 g by drying in an oven at 105°.

The product complies to I.P. 2022 with respect to the above tests.

		Reviewed By	Approved By	Authorized By	
Prepared by	Checked by		Production Head	QA Head	
QA Officer	QC Head	Dy. Manager Production	Production neau	~	MASTER COP
AS1-03 04 25	05/04/25	07 04 25	09 04 25	Mul	UNCONTROLLED COP