



Kerala State Drugs and Pharmaceuticals Ltd
(A Govt. of Kerala Enterprise)
KALAVOOR, ALAPPUZHA

Phone :0477-2258184 (Extn:207) ; Email :purchase@ksdp.in

Web :http://www.ksdp.co.in

KSDP/PS/EQ/2025-26/400175/T-028

10-9-2025

Notice Re Inviting Email Quotation for the Supply of Sticker Labels – 3 Items

Quotations are invited for the supply of undermentioned goods/ services as per the attached specifications on FOR destination basis at our factory site at Kalavoor,Alapuzha, Kerala state

SI No.	ITEM CODE & DESCRIPTION	UNIT	QUANTITY	EMD	TENDER FEES
1	41400061 STICKER LABEL POVIDONE IODINE SOLN IP 7.5%w/v(In sheets)	NOS	18,000 NOS	♦ Not Applicable	♦ Not Applicable
2	41400081 Sticker Label Chlorhexidine Mouthwash IP 0.2% 60ml (In roll)	NOS	55,000 NOS		
3	41400071 STICKER LABEL GLUTERALDEHYDE SOLUTION(In Sheets)	NOS	6,600 NOS		

Quotations should be submitted as per the Proforma given below on your letter head.

SI No.	Name of item	Make	Rate per unit (including freight, if any)	GST %	Offer validity	Remarks, if any
--------	--------------	------	-------------------------------------------	-------	----------------	-----------------

Due Date/Time : 13-Sep-25 / 1PM

Opening Date/Time: 13-Sep-25 / 1.30PM

Note: Please provide COA along with the quotation.

Offer validity*: Minimum 7 days offer validity from the date of closure of bid submission.

Quotation received with offer validity less than 7 days from the date of closure of bid submission will be entirely rejected.

Please send your lowest offers of the item to our e-mail ksdptender@gmail.com before 1 PM,13/09/2025.

The Quotation should be submitted through a password protected excel sheet.

Please share your Password to our emailksdptender@gmail.com@1.30 PM, 13.09.2025.

TERMS & CONDITIONS

- 1.Payment terms :-** 30 days after the receipt of the material along with documents, subject to QC approval.
- 2.Mode of payment:-** E-Payment.
- 3.Delivery Period:-** Supply should be effected within 15 days on award of PO
- 4.Special instructions:-** Quotation number Should be Mention in the subject line

HOD - Purchase

90 mm

40 mm

CHLORHEXIDINE MOUTHWASH I.P.

DIRECTION FOR USE:

Adults, children (2 years of age) & older:-
Rinse your mouth with 5-10mL
undiluted solution for
30 seconds - 1 minute.
Avoid eating & drinking for
atleast 15 minutes after rinsing.
Use 2 times a day after meals or as
directed by your dentist or Physician.

Storage: Store in a cool place
& protected from light.

Mfg.Lic.No. 9/25/74

Batch No.

Mfg.Date

Exp.Date

60 mL

**CHLORHEXIDINE
MOUTHWASH I.P.
0.2% w/v**

Composition:

Chlorhexidine Gluconate Solution I.P.
0.2% w/v
flavoured aqueous base : q.s.

FOR EXTERNAL USE ONLY



**KERALA GOVT SUPPLY
NOT FOR SALE**

Keep out of reach of children.

**WARNING:
NOT TO BE SWALLOWED**



Manufactured in India by
**Kerala State Drugs and
Pharmaceuticals Ltd.**

Kalavoor P.O., Alappuzha,
Kerala-688 522.



KERALA STATE DRUGS AND PHARMACEUTICALS LTD.

KALAVOOR PO, ALAPPUZHA, KERALA-688522

Name of the Material : SPECIFICATION FOR STICKER LABEL






CHLORHEXIDINE MOUTHWASH I.P. 0.2% 60mL - KMSCL SUPPLY

(In Roll)

SOP No:	KSDP/SOP/SPEC02	Spec. No:	NB/SPEC/LIQ/SL/017-01
		Revision No	02
Effective date:	20/08/25	Item Code	41400081

- Dimension: 90 x 40mm (L X B)
- Base colour: Green
- Printing colour: 3 Colour
- Sticker label paper: Chromo art paper (80GSM)
- Outer diameter of the roll should not be more than 300mm
- Inner diameter not less than 75mm
- The gap between two labels: 3mm \pm 1.5 mm
- Alignment of roll – clockwise (from right side)
- Number of labels per roll : 4000 nos
- Sample Artwork attached.

Note: Samples to be provided for approval.

Prepared By	Checked By	Reviewed By	Approved By	Authorised By	MASTER COPY UNCONTROLLED COPY
Officer QA	Production Officer	Production Head	QC Head	QA Head	
					
Date: 20/08/25	Date: 20/08/2025	Date: 20/08/2025	Date: 20/8/25	Date: 20/08/25	



KERALA STATE DRUGS AND PHARMACEUTICALS LTD.

KALAVOOR PO, ALAPPUZHA, KERALA-688522

Name of the Material : SPECIFICATION FOR STICKER LABEL






CHLORHEXIDINE MOUTHWASH I.P. 0.2% 60mL - KMSCL SUPPLY

(In Roll)

SOP No:	KSDP/SOP/SPEC02	Spec. No:	NB/SPEC/LIQ/SL/017-01
		Revision No	02
Effective date:	20/08/25	Item Code	41400081

- Dimension: 90 x 40mm (L X B)
- Base colour: Green
- Printing colour: 3 Colour
- Sticker label paper: Chromo art paper (80GSM)
- Outer diameter of the roll should not be more than 300mm
- Inner diameter not less than 75mm
- The gap between two labels: 3mm \pm 1.5 mm
- Alignment of roll – clockwise (from right side)
- Number of labels per roll : 4000 nos
- Sample Artwork attached.

Note: Samples to be provided for approval.

Prepared By	Checked By	Reviewed By	Approved By	Authorised By	MASTER COPY UNCONTROLLED COPY
Officer QA	Production Officer	Production Head	QC Head	QA Head	
					
Date: 20/08/25	Date: 20/08/2025	Date: 20/08/2025	Date: 20/8/25	Date: 20/08/25	



KERALA STATE DRUGS AND PHARMACEUTICALS LTD.

KALAVOOR PO, ALAPPUZHA, KERALA-688522

Name of the Material: **SPECIFICATION FOR STICKER LABEL**

GLUTARALDEHYDE SOLUTION I.P. 2% - KMSCL SUPPLY

SOP No:	KSDP/SOP/SPEC02	Spec. No.:	NB/SPEC/LIQ/SL/018
		Revision No:	01
Effective date:	09/01/2025	Item code	41400071
		Change control No.	25/NBL/003

- Dimension: 170 x100 mm (L X B).
- Base colour: Grey Dawn
- Printing colour: 3 colour
- Sticker label paper: Chromo paper (80GSM).
- Sticker labels should be in sheet form instead of roll(manual labelling).
- Not more than 10 sticker labels in a single sheet
- Sticker label should be perfectly removable from the base paper (half die punch type).
- Sample sheet should be provided for approval.

Note: Samples to be provided for approval.

Prepared by	Checked by	Reviewed by	Approved by	Authorised by	MASTER COPY UNCONTROLLED COPY
Officer QA	Production Officer	Production Head	QC Head	QA Head	
Date: 09/01/25	Date: 09/01/2025	Date: 09/01/2025	Date: 09/01/2025	Date: 09/01/2025	

170 mm

100 mm

5 Litre

GLUTARALDEHYDE SOLUTION I.P. 2%

Composition: Glutaraldehyde 2%w/v
Purified Water I.P. : q.s.
Excipients : q.s.

DIRECTION FOR USE:

- For Activation: Pour entire content of activator vial in 5Ltr. Glutaraldehyde solution. Stir well till activated solution colour changes to green.
- For Disinfection immerse cleaned medical instruments / equipments completely in activated Glutaraldehyde solution.

SOAK TIME:

- For high level disinfection (HLD): 20 minutes at 20°C.
- For Sporicidal Activity: 8 – 10 hours at 25°C.
- Wash the instruments thoroughly with sterile water before application.

AREAS OF APPLICATION:

Glutaraldehyde Solution has excellent material compatibility with heat-resistant & heat sensitive instruments. It is suitable for all common manual and semi-automatic circulation procedures as well as for the fully automatic (Cold Disinfection) procedure. It is also used in ultrasonic baths. It is also suitable for reprocessing of instruments made of rubber, plastic, ABS, metal, porcelain and glass.

KEEP OUT OF THE REACH OF CHILDREN

FOR EXTERNAL USE ONLY

Activation Date

Deactivation Date of Activated Solution

The activated solution remains stable for 14 days or discard solution if colour changes or soiled.

Storage condition:

Store in a cool and dry place 15°C - 30°C (59°F – 86°F)



Manufactured in India by
Kerala State Drugs and Pharmaceuticals Ltd.
Kalavoor P.O., Alappuzha, Kerala-688 522.

PRECAUTIONS:

Contains Glutaraldehyde.
Harmful by inhalation and if swallowed. Irritating to respiratory system and skin.
Risk of serious damage to eyes.
May cause sensitization by inhalation and skin contact.
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable PPEs in case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Use only in ventilated areas (refer to the material safety data sheet (MSDS) for additional information). Avoid release to the environment.

FEATURES:

- High level disinfectant (HLD) for use in reprocessing heat sensitive medical devices.
- Virucidal, Bactericidal, Fungicidal, Tuberculocidal and sporicidal.
- High degree of material compatibility for Medical Devices and Endoscopes.
- Compatible with different water qualities.
- Effective against bacterial spores.
- Can be used for cleaning and disinfection of heat resistant and heat sensitive instruments (Flexible Endoscopes) in the manual treatment, circulation procedures as well as in the Ultrasonic path.



KERALA GOVERNMENT SUPPLY
NOT FOR SALE

Mfg. Lic. No. 9/25/74

Batch No.

Mfg. Date:

Exp. Date:

160 mm



**KERALA GOVERNMENT SUPPLY
NOT FOR SALE**

Dosage: As directed by the Physician

Mfg. Lic. No. 9/25/74

Batch No.

Mfd.

Exp.

**SHAKE WELL BEFORE USE
FOR EXTERNAL USE ONLY**

**500 mL
POVIDONE IODINE
SOLUTION I.P. 7.5% w/v
MICROBICIDAL SOLUTION**

പോവിഡോൺ അയഡിൻ സൊല്യൂഷൻ ഐ.പി. 7.5% w/v

Composition :
Povidone-Iodine I.P. 7.5% w/v
(available iodine as 0.75% w/v)

**Manufactured in India by
Kerala State Drugs and
Pharmaceuticals Ltd.**

Kalavoor P.O., Alappuzha,
Kerala-688 522.

KEEP OUT OF REACH OF CHILDREN

Storage:

Store in a dry and dark place at temperature not exceeding 30°C. Replace the cap tightly after use. Do not freeze.

Caution

Avoid contact with eyes.

May be harmful if swallowed.

If infection or irritation persists, discontinue use and consult a Physician.

Do not use if allergic or sensitive to the active ingredients.

Administration

Apply full strength, as often as needed, as paint or wet soak.

70 mm