

Kerala State Drugs and Pharmaceuticals Ltd (A Govt. of Kerala Enterprise) KALAVOOR, ALAPPUZHA

Phone:0477-2258184 (Extn:207); Email:purchase@ksdp.in Web:http://www.ksdp.co.in

KSDP/PS/EQ/2025-26/400285/T-003

18-12-2025

Notice Inviting Email Quotation for the Supply of Sticker Labels – 4 Items

Quotations are invited for the supply of undermentioned goods/ services as per the attached specifications on FOR destination basis at our factory site at Kalavoor, Alapuzha, Kerala state

SI No.	ITEM CODE & DESCRIPTION	UNIT	QUANTITY	EMD	TENDER FEES
1	41400093	NOS	8,000 NOS	◆ Not Applicable	◆ Not Applicable
	Sticker Label Timolol Maleate Eye				
	Drops IP 0.5% w/v(in rolls)				
2	41400094	NOS	8,000 NOS		
	Sticker Label Chlorphenaramine				
	Maleate 1ml ampoule injection IP (
	in rolls)				
3	41400095	NOS	8,000 NOS		
	Sticker Label Frusemide Injection				
	IP(10mg/ml) 2ml ampoule (in rolls)				
4	41400096	NOS	8,000 NOS		
	Sticker Label Diclofenac Sodium				
	Injection IP (25mg/ml) 3ml				
	ampoule (in rolls)				

Quotations should be submitted as per the Proforma given below on your letter head.

SI	Name of	Make	Rate per unit	GST %	Offer	Remarks, if
No.	item		(including		validity	any
			freight, if any)			-

Due Date/Time : 22-Dec-25 / 1PM Opening Date/Time: 22-Dec-25 / 1.30PM

Note: Please provide COA along with the quotation.

Offer validity*: Minimum 7 days offer validity from the date of closure of bid submission.

Quotation received with offer validity less than 7 days from the date of closure of bid submission will be entirely rejected.

Please send your lowest offers of the item to our e-mail ksdptender@gmail.com before 1 PM,22/12/2025.

The Quotation should be submitted through a password protected excel sheet.

Please share your Password to our email ksdptender@gmail.com@1.30 PM, 22.12.2025.

TERMS & CONDITIONS

1.Payment terms :- 30 days after the receipt of the material along with documents, subject to QC

approval.

2.Mode of payment:- E-Payment.

3.Delivery Period:- Supply should be effected within 15 days on award of PO
4.Special instructions:- Quotation number Should be Mention in the subject line

HOD - Purchase



PACKING MATERIAL SPECIFICATION

1 mL AMPO	DULE-STICKER LABE	(LVP/SVP/OPTH)	
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/SOP/SPEC02/SVP/01
Effective date:	11/04/25	Revision No:	01

Dimension (LxB)

: 3.3 x 1.8 cm

• Base colour

: White

Printing

: Black and red with KMSCL logo

Varnish

: No

Sticker label paper

: 80 GSM

• Inner diameter not less than 7.5 cm


• Outer diameter of the roll should not be more than 30 cm

• The gap between two labels : 3 mm

Alignment of roll

Prepared by	Checked by	Reviewed By	Approved By	Authorized By	
QA Officer	QC Head	Dy. Manager Production	Production Head	QA Head	ASTER COPY
Aus	1.1	-04		- Day	INCONTROLLED COPY
10/04/25	10/04/25	11/04/25	11/04/25	11/04/25	

CHLORPHENIRAMINE MALEATE INJECTION IP 10MG/ML





PACKING MATERIAL SPECIFICATION

10 mL OPHTHALMIC HDPE BOTTLE - STICKER LABEL SPECIFICATION
(LVP/SVP/OPTH)

SOP No: KSDP/SOP/SPEC02 Spec. No: KSDP/SOP/SPEC02/SVP/07

Effective date: 41/04/25 Revision No: 01

Dimension (LxB)

: 7.0 x 2.0 cm

Base colour

: White

Printing

.: Black and red with KMSCL logo

Varnish

: No

• Sticker label paper

: 80 GSM

• Inner diameter not less than 7.5 cm

Outer diameter of the roll should not be more than 30 cm

• The gap between two labels : 3 mm

Alignment of roll

Prepared by	Checked by	Reviewed By	Approved By	Authorized By	
QA Officer	QC Head	Dy. Manager Production	Production Head	QA Head M	ASTER COP
Also.	J.L		B-9	North	NCONTROLLED CO
10 04 25	10/04/25	11/04/25	11/04/25	11/04/25	

TIMOLOL MALEATE EYE DROPS IP (0.5% W/V)

Composition:

Each ml contains: Timolol Maleate (Equivalent to Timolol) 0.5% w/v Benzalkonium

Chloride 0.01%w/v
Dosage: As directed

by the Ophthalmologist. Store in a cool and dry place. Protect from light

Direction: Use the solution within one month after opening the vial.

Rx

5ml

TIMOLOL MALEATE EYE DROPS IP 0.5 %w/v

Sterile eye drops

SCHEDULE H PRESCRIPTION DRUG-CAUTION: Not to be sold by retail without the prescription of a Registered Medical Practitioner.

Manufactured in India by:

Kerala State Drugs and Pharmaceuticals Ltd, Kalavoor P.O., Alappuzha, Kerala-688522.

NOT FOR INJECTION FOR EXTERNAL USE ONLY

Mfg. Lic. No.:-----

Batch No:

Mfg. No:

Exp. Date:

QR CODE

KERALA GOVT SUPPLY NOT FOR SALE





PACKING MATERIAL SPECIFICATION

3 mL AMPO	DULE-STICKER LAB	EL SPECIFICATION	(LVP/SVP/OPTH)
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/SOP/SPEC02/SVP/03
Effective date:	11/04/25	Revision No:	01

Dimension (LxB)

: 3.3 x 3.0 cm

Base colour

: White

Printing

: Black and red with KMSCL logo

Varnish

: No

Sticker label paper

: 80 GSM

• Inner diameter not less than 7.5 cm

• Outer diameter of the roll should not be more than 30 cm

• The gap between two labels : 3 mm

• Alignment of roll

Prepared by	Checked by	Reviewed By	Approved By	Authorized By	
QA Officer	QC Head	Dy. Manager Production	Production Head	QA Head M	ASTER COPY
Ass.	K.L	Miller	\$ 2	A Dayley	ICONTROLLED COPY
10 04 25	10/04/25	11/04/25	11/04/25	11/04/25	

DICLOFENAC SODIUM INJECTION I.P (25MG/ML) - 3ML

Rx **DICLOFENAC SODIUM INJECTION IP** Each ml contains: 3mL Diclofenac Sodium ΙP 25mg Manufactured in India by: ΙP Benzyl Alcohol 4%w/v Kerala State Drugs and (as preservative) Pharmaceuticals Ltd, Water for Injection ΙP Kalavoor P.O., Store in a cool and dry place, protected Alappuzha, Keralafrom direct sunlight and moisture, at a 688522. temperature below 25°C. Mfg. Lic. No.: -----**Caution:** Do not use if the solution is not clear, or having suspended **Batch No:** matter/ particles and ask for QR replacement. CODE Mfg. No: SCHEDULE H PRESCRIPTION DRUG-Exp. Date: **CAUTION:** Not to be sold by retail without the prescription of a Registered Medical Practitioner. KERALA GOVT SUPPLY

NOT FOR SALE



PACKING MATERIAL SPECIFICATION

2 mL AMPO	DULE-STICKER LABE	EL SPECIFICATION	(LVP/SVP/OPTH)
SOP No:	KSDP/SOP/SPEC02	Spec. No:	KSDP/SOP/SPEC02/SVP/02
	11/04/25	Revision No:	01

• Dimension (LxB)

: 3.3 x 2.5 cm

Base colour

: White

Printing

: Black and red with KMSCL logo

Varnish

: No

Sticker label paper

: 80 GSM

• Inner diameter not less than 7.5 cm

• Outer diameter of the roll should not be more than 30 cm

• The gap between two labels : 3 mm

• Alignment of roll

Prepared by	Checked by	Reviewed By	Approved By	Authorized By	
QA Officer	QC Head	Dy. Manager Production	Production Head	QA Head	ISTER COPY
Ando	4.1		\$ 0	May u	NCONTROLLED COPY
10/04/25	10/04/25	11/04/25	11/04/25	11/04/25	

FRUSEMIDE INJECTION I.P (10MG/ML) - 2ML

