



KSDP/PRJ/QTN/2025-26/ 16

28/01/2026

SEALED QUOTATION NOTICE

ROOFING WORK FOR CHILLER UNIT

Inviting sealed quotation for roofing work for chiller unit at KSDP, Alappuzha

1. SCOPE OF WORK

Roofing work for chiller unit at KSDP, Alappuzha. as per the accompanying BOQ (Annexure 1).

2 TERMS OF PAYMENT

100% payment will be released after satisfactory completion of work.

3 PERIOD OF COMPLETION

20 days from the date of issue of work order.

4 SPECIFICATION

Attached as annexure 1.

5. GENERAL CONDITIONS

- i. You should work as per the Rules & Regulations applicable to employees of the company.
- ii. You should be responsible for the welfare and safety of the men employed by you inside the company.
- iii. In case of dispute, jurisdiction will be Alleppey, Kerala.
- iv. All safety measures should be taken during work.

- v. All tools and machines, scaffolding and labourers required for the work is coming under the scope of contractor.
- vi. Your employees should wear all safety items/equipments such as helmet, goggles, safety belts, boots etc. Company will have no liability to employees entrusted by you with respect to safety measures.
- vii. GST will be paid extra as per actual.

6. IMPORTANT DATES :

Last Date of receipt of quotation : **06-02-2026 at 3:30 pm.**
Sealed quotation opening date : **06-02-2026 at 4:00 pm.**

Please send your sealed quotation to Managing Director, Kerala State Drugs And Pharmaceuticals Ltd,Kalavoor,Alappuzha on or before 06-02-2026 at 3:30 pm.

Sd/-

Deputy Manager (Projects)



KERALA STATE DRUGS AND PHARMACEUTICALS LTD KALAVOOR, ALAPPUZHA

ROOFING WORK FOR CHILLER UNIT

BOQ (Annexure 1)

SL.NO	DESCRIPTION	QTY	UNIT	RATE	TOTAL AMOUNT in RS. (Excl.GST)
1	Steel work for purlin/single section with G I pipes including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. Complete				
	Size of each GINo pipe in mm.	Length in meter	CF	Weight in kg.	
	column size 4 80x80x3	2.250	8.59	77.31	
	beam size 2 80x40x3	4.500	5.34	48.06	
	tie beam size 2 80x40x3	3.500	5.34	37.38	
	common rafter 6 of size 50x25x3	2.800	3.25	54.60	
	common rafter 6 of size 50x25x3	2.800	3.25	54.60	
	collar tie of size 3 50x25x3 3	1.350	3.25	13.16	
	Purlin 25x25x2 8	4.500	1.43	51.48	
2	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. MS plate of size 200x200x6mm @18.84/sqm 8Nos MS plate of size 100x100x6mm @4.71kg/sqm 14Nos	2.17	Kg		
3	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+0.05%), total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling/self tapping screws of size (5.5x55mm) with EPDM seal, complete upto any pitch in horizontal	25.20	Sqm		

	vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.			
4	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :Ridges plain (500-600 mm) Roof Ridge-	4.50	Mtr	
5	Centering and shuttering including strutting, etc. and removal of form for: Foundations, footings, bases of columns, etc for mass concrete	3.60	Sqm	
6	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:1:2:4 (cement : 2 coarse sand (zone-III)derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	0.45	Cum	
7	24" dia turbo ventilators	1	Each	
	Grand Total (Excl.GST)			

*GST Extra as per actual or TDS will be deducted.

Contractor




Deputy Manager (Project)